



## ASX ANNOUNCEMENT –29 September 2005

### FINAL RESULTS UPGRADE AND EXTEND HIGH GRADE INTERCEPTS IN WY 831D AT WYOMING

- Final results from diamond core hole WY 831D have significantly upgraded and extended the intercepts in WY 831D within the Wyoming One deposit:

<b>WY 831D</b>	<b>66.00 metres grading 13.80g/t gold from 268 metres</b>
<b>including</b>	<b>11.00 metres grading 54.69g/t gold from 281 metres</b>
<b>and</b>	<b>1.20 metres grading 382.50g/t gold from 287 metres</b>
<b>also</b>	<b>33.00 metres grading 7.44g/t gold from 301 metres</b>
<b>including</b>	<b>14.00 metres grading 15.48g/t gold from 302 metres</b>

#### TOMINGLEY GOLD PROJECT

##### Wyoming Resource Development Drilling

The preliminary results for part of hole **WY 831D** were released to the ASX on 20 September. The final results have now been received and are summarised in the table below.

As previously advised, **WY 831D** targeted structures within the **Porphyry** to determine continuity of the high grade zones previously intersected. The hole intersected mineralisation in the **Northern Zone**, the '376' structure and extensive alteration and mineralisation associated with the interpreted '497' structure.

Hole No	East	North	Azimuth	Intercept (m)	Grade (g/t Au)	Interval (m)	EOH (m)	Target Zone
<b>WY 831D</b>	<b>614085</b>	<b>6393425</b>	<b>180°</b>	<b>57 - 96</b>	<b>1.21</b>	<b>39</b>	<b>433.3</b>	<b>Northern *</b>
				<b>164 - 170</b>	<b>2.18</b>	<b>6</b>		<b>Northern *</b>
				<b>183 - 188</b>	<b>7.65</b>	<b>5</b>		<b>376 *</b>
				<b>268 - 334</b>	<b>13.80</b>	<b>66</b>		<b>497(?) #</b>
<b>including</b>				<b>268 - 292</b>	<b>27.69</b>	<b>24</b>		<b>497 (?) #</b>
				<b>281 - 292</b>	<b>54.69</b>	<b>11</b>		<b>497 (?) #</b>
				<b>287 - 288.2</b>	<b>382.5</b>	<b>1.20</b>		<b>497 (?) +</b>
<b>and</b>				<b>301 - 334</b>	<b>7.44</b>	<b>33</b>		<b>497 (?) +</b>
				<b>302 - 326</b>	<b>15.48</b>	<b>14</b>		<b>497 (?) +</b>

Hole drilled at a nominal inclination of -78°. Gold analysis by 50g fire assay of half core samples or 3m RC composites. All true widths are not clear at this time. \* Previously reported; # upgraded result; + new result.

The '497' structure (named after hole WY 497 – 99m @ 4.30g/t Au drilled in 2003) is an east-west structure located about 50 metres to the south of the '376' zone within the feldspar porphyry host. There is also some evidence that the structure extends in to the surrounding andesitic volcanoclastic sediments. The structure consistently displays extensive alteration and quartz veining with visible gold and occasional very high grade intercepts such as 1.20 metres at 382.5g/t gold in this hole. It appears to be near vertical in orientation but may have other structures that link to the '376' zone, giving a broad mineralised intercept.

The confirmation of the continuity of the '497' structure is an important step forward for the development of an underground operation at Wyoming.

A plan and drill sections for this current program will be included in the September Quarterly Report to be released later in October.

Enquiries: Ian Chalmers, Technical Director  
 Tel: +61 8 9328 9411 Fax: +61 8 9227 6011  
 Email: [ichalmers@alkane.com.au](mailto:ichalmers@alkane.com.au)

*Mr D I Chalmers, FAusIMM, FAIG, (director of the Company) has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as Competent Person as defined in the 2004 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Ian Chalmers consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.*

